



*afca*

PATENT  
Attorney Docket No. 08364.0037

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re U.S. Patent No.: 7,059,206 B1 )  
Inventors: Jenny KINGSTON et al. )  
Issue Date.: June 13, 2006 )  
For: AQUATIC PASSIVE SAMPLING )  
DEVICE AND METHODS FOR ITS )  
USE )

**Certificate  
JUN 30 2006  
of Correction**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

**REQUEST FOR CERTIFICATE OF CORRECTION**

Pursuant to 35 U.S.C. § 255, and 37 C.F.R. § 1.323, this is a request for a Certificate of Correction in the above-identified patent. The mistakes identified in the appended Form are of a clerical or typographical nature, or of minor character, and resulted from an error made in good faith by patentees. A check in the amount of \$100 (the fee set forth in 37 C.F.R. § 1.20(a)) is attached. Should a check not be appended or should any additional fees be needed, authorization is hereby given to charge any fees due in connection with the filing of this request to Deposit Account No. 06-0916.

Two (2) copies of PTO Form 1050 are appended. The complete Certificate of Correction involves one (1) page. Issuance of the Certificate of Correction containing the correction is earnestly requested.

06/28/2006 SZEWDIE1 00000133 7059206

01 FC:1811

100.00 OP

**JUN 30 2006**

Please charge any required fees not included herewith to our deposit account  
06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW,  
GARRETT & DUNNER, L.L.P.

Dated: June 27, 2006

By: 

Jeffrey A. Berkowitz  
Reg. No. 36,743

**UNITED STATES PATENT AND TRADEMARK OFFICE**  
**CERTIFICATE OF CORRECTION**

PATENT NO. 7,059,206 B1

Page 1 of 1

APPLICATION NO.: 10/069,351

ISSUE DATE: June 13, 2006

INVENTOR(S): Jenny KINGSTON et al.

It is hereby certified that an error or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page, Item (57), in the Abstract, line 5, "forcontinuously" should read --for continuously--.

In claim 2, column 31, line 41, "can not" should read --cannot--.

In claim 27, column 33, line 30, "separated form" should read --separated from--.

In claim 28, column 33, line 42, "can not" should read --cannot--.

In claim 44, column 34, line 29, "according t" should read --according to--.

In claim 46, column 34, line 55, "can not" should read --cannot--.

In claim 64, column 36, line 7, "form" should read --from--.

**MAILING ADDRESS OF SENDER**

Finnegan, Henderson, Farabow,  
Garrett & Dunner, L.L.P.  
901 New York Avenue, N.W.  
Washington, D.C. 20001-4413

2006

**UNITED STATES PATENT AND TRADEMARK OFFICE**  
**CERTIFICATE OF CORRECTION**

PATENT NO. 7,059,206 B1

Page 1 of 1

APPLICATION NO.: 10/069,351

ISSUE DATE: June 13, 2006

INVENTOR(S): Jenny KINGSTON et al.

It is hereby certified that an error or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page, Item (57), in the Abstract, line 5, "forcontinuously" should read --for continuously--.

In claim 2, column 31, line 41, "can not" should read --cannot--.

In claim 27, column 33, line 30, "separated form" should read --separated from--.

In claim 28, column 33, line 42, "can not" should read --cannot--.

In claim 44, column 34, line 29, "according t" should read --according to--.

In claim 46, column 34, line 55, "can not" should read --cannot--.

In claim 64, column 36, line 7, "form" should read --from--.

**MAILING ADDRESS OF SENDER**

Finnegan, Henderson, Farabow,  
Garrett & Dunner, L.L.P.  
901 New York Avenue, N.W.  
Washington, D.C. 20001-4413